

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1922	29/417,603.07,603.15,603.16,603.18.ccls.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/12/30 06:41
S2	5068	360/121,125,126,316,317.ccls.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/12/29 11:32
S3	10	magnetic near head near cluster	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/12/30 06:41
S4	3	S2 and S3	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/12/29 11:32
S5	11	("4155106" "5588199" "5597340" "5772493" "5997381" "6027397" "6193584" "6330488" "6347983" "6684171" "6699102").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/29 11:35
S6	44	Lam-Chuck-Fai.in. or martin-Kenneth-R.in. or gibson-Charles-A.in.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/29 11:36
S7	3	S3 and S6	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/12/29 11:38
S8	1798	29/417,603.09,603.15,603.16,603.18.ccls.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/12/30 06:42
S9	1787010	lap\$4 enar guide	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/12/30 06:42
S10	503	lap\$4 near guide\$1	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/12/30 06:42
S11	5	(lap\$4 near guide\$1) near transducer	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/12/30 06:54

S12	627	451/4,51.ccls.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/12/30 06:47
S13	2	S10 and S12	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/12/30 06:47
S14	0	S12 and (lap\$4 near transducer)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/12/30 06:47
S15	0	S12 and (lap\$4 near (resistive near element))	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/12/30 06:56
S16	0	S12 and ((lap\$4 or machin\$3 or grind\$3 or polish\$3) near (resistive near element))	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/12/30 06:48
S17	28	((lap\$4 or machin\$3 or grind\$3 or polish\$3) near (resistive near element))	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/12/30 06:54
S18	0	((lap\$4 or machin\$3 or grind\$3 or polish\$3) near (resistive near element)) near transducer	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/12/30 06:48
S19	4	((lap\$4 or machin\$3 or grind\$3 or polish\$3) near (resistive near element)) same transducer	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/12/30 06:51
S20	1524380	(analog or digital) enar (lap\$4 near guide\$1)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/12/30 06:51
S21	8	(analog or digital) near (lap\$4 near guide\$1)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/12/30 06:51
S22	5	S21 and (resistive near element)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/12/30 06:52
S23	69	(lap\$4 near guide\$1) same transducer	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/12/30 06:54

S24	19	(lap\$4 near (resistive near element))	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/12/30 06:56
S25	705	transducer same (resistive near element)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/12/30 06:57
S26	38	transducer same (resistive near element) same (lap\$4 or machin\$3 or grind\$3 or polish\$3)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/12/30 06:59
S27	1227	measur\$3 with (resistive near element)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/12/30 06:59
S28	158	measur\$3 near (resistive near element)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/12/30 06:59
S29	17	S25 and S28	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/12/30 06:59
S30	4	S26 and S28	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/12/30 06:59


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((((magnetic head) <or> (transducer)) <and> (lapping <or> lapped) <and> hei..."

☒ e-mail

Your search matched 9 of 1286976 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)
[New Search](#)

Modify Search

☐ Check to search only within this results set

» Key

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEEE Journal or Magazine





IEEE CNF IEEE Conference Proceeding

IEEE CNF IEEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

- ☐ **1. The effect of lapping method on the thermal reliability of a GMR head bas equation**
 Yufeng Li; Meyer, D.;
 Magnetics, IEEE Transactions on
 Volume 37, Issue 2, Part 1, March 2001 Page(s):974 - 979
 Digital Object Identifier 10.1109/20.917653
[AbstractPlus](#) | Full Text: [PDF](#)(104 KB) IEEE JNL
- ☐ **2. The effect of lapping method on the thermal reliability of a GMR head bas equation**
 Yufeng Li; Meyer, D.;
 Asia-Pacific Magnetic Recording Conference, 2000. APMRC 2000
 6-8 Nov. 2000 Page(s):WB5/1 - WB5/2
 Digital Object Identifier 10.1109/APMRC.2000.898939
[AbstractPlus](#) | Full Text: [PDF](#)(152 KB) IEEE CNF
- ☐ **3. Effect of current density and stripe height on the amplitude of a dual-synl**
 Yufeng Li;
 Magnetics, IEEE Transactions on
 Volume 37, Issue 4, Part 1, July 2001 Page(s):1695 - 1697
 Digital Object Identifier 10.1109/20.950940
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(54 KB) IEEE JNL
- ☐ **4. Rubbing noise generated by acoustic vibrations in ferrite test heads**
 Johnson, M.T.; Huijter, E.;
 Magnetics, IEEE Transactions on
 Volume 24, Issue 6, Nov 1988 Page(s):2398 - 2400
 Digital Object Identifier 10.1109/20.92121
[AbstractPlus](#) | Full Text: [PDF](#)(356 KB) IEEE JNL
- ☐ **5. Design, fabrication and testing of spin-valve read heads for high density**
 Ching Tsang; Fontana, R.E.; Tsann Lin; Heim, D.E.; Speriosu, V.S.; Gurney, B M.L.;
 Magnetics, IEEE Transactions on
 Volume 30, Issue 6, Part 1-2, Nov 1994 Page(s):3801 - 3806
 Digital Object Identifier 10.1109/20.333909
[AbstractPlus](#) | Full Text: [PDF](#)(396 KB) IEEE JNL

-  **6. Precision machining of rigid disk head sliders**
Gatzen, H.H.; Maetzig, J.C.; Schwabe, M.K.;
Magnetics, IEEE Transactions on
Volume 32, Issue 3, Part 2, May 1996 Page(s):1843 - 1849
Digital Object Identifier 10.1109/20.492875
[AbstractPlus](#) | Full Text: [PDF](#)(964 KB) IEEE JNL
-  **7. Simulation of wear of tape head contours**
Lacey, C.; Talke, F.E.;
Magnetics, IEEE Transactions on
Volume 28, Issue 5, Part 2, Sep 1992 Page(s):2554 - 2556
Digital Object Identifier 10.1109/20.179554
[AbstractPlus](#) | Full Text: [PDF](#)(296 KB) IEEE JNL
-  **8. Demonstrating a tunneling magneto-resistive read head**
Song, D.; Nowak, J.; Larson, R.; Kolbo, P.; Chellew, R.;
Magnetics, IEEE Transactions on
Volume 36, Issue 5, Part 1, Sept 2000 Page(s):2545 - 2548
Digital Object Identifier 10.1109/20.908503
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(80 KB) IEEE JNL
-  **9. $1/f$ noise in saturated GMR heads**
Xiao, M.; Klassen, K.B.; Van Peppen, J.C.L.;
Magnetics, IEEE Transactions on
Volume 36, Issue 5, Part 1, Sept 2000 Page(s):2593 - 2595
Digital Object Identifier 10.1109/20.908526
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(84 KB) IEEE JNL
- 